L Number	Hits	Search Text	DB	Time stamp
1	166	(virus with scan$) and (version with file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 14:36
2	50	((virus with scan$) and (version with file)) and (scan$ with application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 14:36
3	70	((virus with scan$) and (version with file)) and (virus with application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 14:37
5	1	(@pd<20001227 and (((virus with scan$) and (version with file)) and (virus with application))) and (version with attribute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 14:37
4	24	@pd<20001227 and (((virus with scan$) and (version with file)) and (virus with application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 14:56
6	738	version with virus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:00
7	14	(@pd<20001227 and (((virus with scan$) and (version with file)) and (virus with application))) and (version with virus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:11
8	581	virus with definition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:00
9	2	((@pd<20001227 and (((virus with scan$) and (version with file)) and (virus with application))) and (version with virus)) and (virus with definition)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:00
10	3	((@pd<20001227 and (((virus with scan$) and (version with file)) and (virus with application))) and (version with virus)) and (creat$ with version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:22
11	1	((@pd<20001227 and (((virus with scan$) and (version with file)) and (virus with application))) and (version with virus)) and (creat$ with version with virus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:24
12	1	(707/203).ccls. and (@pd<20001227 and (((virus with scan$) and (version with file)) and (virus with application)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:26
13	14	(@pd<20001227 and (((virus with scan$) and (version with file)) and (virus with application))) and (virus with version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:33
14	2	("5892904").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:38

15	5	(@pd<20001227 and (((virus with scan$) and (version with file)) and (virus with application))) and (713/201).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 15:38
-	2	("5832480").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 14:34
-	1	"5510981".PN.	USPAT	2004/01/28 18:28
-	1	"5287278".PN.	USPAT	2004/01/28 18:28
-	1	"4868750".PN.	USPAT	2004/01/28 18:28
-	121	document with proper with name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:05
-	24	(document with proper with name) and (document$ with (cluster$ or categor$ or class)) and rank$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:28
-	5	@pd<20000531 and ((document with proper with name) and (document$ with (cluster$ or categor$ or class)) and rank$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:16
-	0	(@pd<20000531 and ((document with proper with name) and (document$ with (cluster$ or categor$ or class)) and rank$)) and (duplicat$ or double) and aggregat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:16
-	11	(document with proper with name) and (duplicat$ or double) and aggregat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:16
-	0	@pd<20000531 and (((document with proper with name) and (duplicat$ or double) and aggregat$) and (document$ with (cluster$ or categor$ or class)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:22
-	7	((document with proper with name) and (duplicat$ or double) and aggregat$) and (document$ with (cluster$ or categor$ or class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:20
-	692	aggregat$ with document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:20
-	125	duplicat$ with (remov$3 or delet$4) with words	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:21
-	0	(aggregat$ with document) and (duplicat$ with (remov$3 or delet$4) with words) and (document$ with (cluster$ or categor$ or class)) and rank$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:21
-	0	(aggregat$ with document) and (duplicat$ with (remov$3 or delet$4) with words) and (document$ with (cluster$ or categor$ or class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:21

-	2	@pd<20000531 and (aggregat$ with document) and (duplicat$ with (remov$3 or delet$4) with words)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:28
-	1	"5510981".PN.	USPAT	2004/01/28 19:24
-	2	("5819265").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:21
-	2	("6260038").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:22
-	2	("5857179").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:23
-	103	(document with label) and (document$ with (cluster$ or categor$ or class)) and rank$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:28
-	28	@pd<20000531 and ((document with label) and (document$ with (cluster$ or categor$ or class)) and rank$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:28
-	0	(@pd<20000531 and ((document with label) and (document$ with (cluster$ or categor$ or class)) and rank$)) and ((remov$ or delet$) with words with duplicat$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:29
-	0	(@pd<20000531 and ((document with label) and (document$ with (cluster$ or categor$ or class)) and rank$)) and ((remov$ or delet$) with words with match$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:30
-	7	(@pd<20000531 and ((document with label) and (document$ with (cluster$ or categor$ or class)) and rank$)) and ((remov$ or delet$) with words)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:44
-	1	840421.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:44

Google™

virus scan application version attribu | **Google Search** |

Web · Images · Groups · Directory · News ·

Searched the web for **virus scan application version attribute mask signature version "virus definition"** . Re
Tip: To get dictionary definitions for your search terms, click on the underlined search term(s) in the blue bar above

EP1235143
... party **application** such as a **virus scan application** or a ... to the **version** of the **application**
used to ... In yet other embodiments, the **version**-specific **attribute** may ...
swpat.ffii.org/pikta/txt/ep/1235/143/ - 54k - Cached - Similar pages

EP1237073
... party **application** such as a **virus scan application** or a ... the object itself or of the
application used to ... In yet other embodiments, the **version**-specific property ...
swpat.ffii.org/pikta/txt/ep/1237/073/ - 61k - Cached - Similar pages

[PDF] **Virus Bulletin, June 1998**
File Format: PDF/Adobe Acrobat
... 9805 is a native PowerPC **application**, so cannot ... VIR', 'HIE', 'OOLK', 'UARD',
'**SCAN**', 'CLEA' and ... de Cevallitos-= RATA de GLEW **virus** =-'. ...
www.virusbtn.com/magazine/archives/pdf/1998/199806.PDF - Similar pages

[PDF] **Virus Bulletin, August 1999**
File Format: PDF/Adobe Acrobat
... don't usually have a .l extension, anti-**virus** products neglected to **scan** these
files ... the extension is used to determine which **application** to launch ...
www.virusbtn.com/magazine/archives/pdf/1999/199908.PDF - Similar pages

[PDF] **Kaspersky Anti-Virus 5.0 for Lotus Notes/Domino**
File Format: PDF/Adobe Acrobat - View as HTML
... of messages of Lotus Notes/Domino **version** R5 and R6 ... The modules Monitor and **Scan** are
implemented as Lotus ... After installation of Kaspersky Anti-**Virus** for Lotus ...
www.2f.hu/files/kav/doc/kav5.0_lotuse.pdf - Similar pages

Data Formats and Their File Extensions , next ...
... scc Text file .scd Scodl **Scan** Conversion Object ... list object file (dBASE **Application**
Generator) .van ... Quarantined file .vdf AntiVir **virus definition** file Vexira ...
www26.brinkster.com/sijie/doc/datafilenext.html - 61k - Cached - Similar pages

[PDF] User's Guide
File Format: PDF/Adobe Acrobat - View as HTML
... Norton AntiVirus for Macintosh provides comprehensive **virus** prevention, detection ... 8.1
to 9.x in one **version** 1 Quarantine ... that cannot be repaired 1 **Scan** on mount ...
www.upenn.edu/computing/virus/docs/navmac/ navmac90/NAV%2090%20User%20Guide.pdf - Similar pages

[PDF] Symantec™ Central Quarantine Administrator's Guide
File Format: PDF/Adobe Acrobat - View as HTML
... Be careful not to use another **application**'s reserved ... between the two is how **virus**

definitions updates ... Under email-based **Scan** and Deliver, definitions updates ...
software.berkeley.edu/windows/scs/ test/scs-docs/centquar_admin.pdf - <u>Similar pages</u>

[PDF] <u>Microsoft Windows XP Home Edition</u>
File Format: PDF/Adobe Acrobat
... ANTIVIRUS / **VIRUS** PROTECTION ... Microsoft Windows XP Home Edition Security Implementation
Version 1.4b ... need to check all three groups (**Application**, System, and ...
www.giac.org/practical/GSEC/Dennis_Schrader_GSEC.pdf - <u>Similar pages</u>

[PDF] <u>Nemx Power Tools Guide</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... 5 What ' s New **Version** 4.2 of Nemx Power Tools includes features for ... 92 **Scan** Format ... 4.
On the Anti-**Virus** tab, within the Notifications window right click an ...
www.nemx.com/Documents/TechDocs/ Power%20Tools%20-%20Manual.pdf - <u>Similar pages</u>

Google ▶

Result Page: 1 <u>2</u>   **Next**

virus scan application version attribu   **Google Search**   Search within results

Dissatisfied with your search results? <u>Help us improve.</u>

Get the <u>Google Toolbar</u>:   Google ▾ [   ] ▾ | 🔍 Search Web ▾ | | PageRank | 🗗 6 blocked | Aut

Google Home - Advertise with Us - Business Solutions - Services & Tools - Jobs, Press, & Help

©2004 Google